



# INDIANA HEALTH COVERAGE PROGRAMS

## PROVIDER CODE TABLES

### Family Planning Services Codes

*Note: Due to possible changes in Indiana Health Coverage Programs (IHCP) policy or national coding updates, inclusion of a code on the code tables does not necessarily indicate **current** coverage. See [IHCP Bulletins](#) and the [IHCP Fee Schedules](#) for updates to coding, coverage and benefit information.*

*For information about using these code tables, see the [Family Planning Services](#) provider reference module.*

#### [Table 1 – CPT and HCPCS Sterilization Procedure Codes That Suspend for Analyst Review of Consent Form](#)

#### [Table 2 – ICD-10 Sterilization Procedure Codes That Suspend for Analyst Review of Consent Form](#)

The Current Procedural Terminology (CPT<sup>®1</sup>), Healthcare Common Procedure Coding System (HCPCS) and International Classification of Diseases (ICD) procedure codes on the following tables require a properly completed *Consent for Sterilization* form be included with the claim, except in the following circumstances:

- The sterilization is performed due to illness or injury when prior acknowledgement is not possible.
- The patient was already sterile prior to the procedure.
- The patient is not rendered sterile by the procedure (for example, because the procedure was performed unilaterally rather than bilaterally).

To prevent claims from denying under these circumstances, providers must attach either an operative report or physician's statement attesting that one of the preceding exceptions applies, as described in the [Family Planning Services](#) module.

*Note: In addition to the codes listed in the following tables, if any **other** service is performed specifically to sterilize a member, the provider is obligated to obtain informed consent and submit the sterilization consent form with the claim.*

<sup>1</sup> CPT copyright 2024 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association.

**Table 1 – CPT and HCPCS Sterilization Procedure Codes That Suspend for Analyst Review of Consent Form****Reviewed/Updated: October 1, 2023**

<b>Procedure Code</b>	<b>Description</b>
00851	Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; tubal ligation/transection
00921	Anesthesia for procedures on male genitalia (including open urethral procedures); vasectomy, unilateral or bilateral
55250	Vasectomy, unilateral or bilateral (separate procedure) including postoperative semen examination(s)
58565	Hysteroscopy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants
58600	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, unilateral or bilateral
58605	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization (separate procedure)
58611	Ligation or transection of fallopian tube(s) when done at the time of cesarean section or intra-abdominal surgery (not a separate procedure) (List separately in addition to code for primary procedure)
58615	Occlusion of fallopian tube(s) by device (eg, band, clip, Falope ring) vaginal or suprapubic approach
58661	Laparoscopy, surgical; with removal of adnexal structures (partial or total oophorectomy and/or salpingectomy)
58670	Laparoscopy, surgical; with fulguration of oviducts (with or without transection)
58671	Laparoscopy, surgical; with occlusion of oviducts by device (eg, band, clip, or Falope ring)
0567T	Blockage of fallopian tubes with implants inserted through cervix
A4264	Permanent implantable contraceptive intratubal occlusion device(s) and delivery system
<b>Table 1 Revision History</b>	
<p><b>July 14, 2022, update:</b> Updated table note</p> <p><b>July 15, 2021, update:</b> Added table note</p> <p><b>January 1, 2020, update:</b> Added (effective January 1, 2020): 0567T</p> <p><b>January 1, 2018, update:</b> Removed (effective January 1, 2018): 55450</p>	

**Table 2 – ICD-10 Sterilization Procedure Codes That Suspend for Analyst Review of Consent Form****Reviewed/Updated: October 1, 2023**

<b>Procedure Code</b>	<b>Description</b>
0U570ZZ	Destruction of bilateral fallopian tubes, open approach
0U573ZZ	Destruction of bilateral fallopian tubes, percutaneous approach
0U574ZZ	Destruction of bilateral fallopian tubes, percutaneous endoscopic approach
0U577ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening
0U578ZZ	Destruction of bilateral fallopian tubes, via natural or artificial opening endoscopic
0UB70ZZ	Excision of bilateral fallopian tubes, open approach
0UB73ZZ	Excision of bilateral fallopian tubes, percutaneous approach
0UB74ZZ	Excision of bilateral fallopian tubes, percutaneous endoscopic approach
0UB77ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening
0UB78ZZ	Excision of bilateral fallopian tubes, via natural or artificial opening endoscopic
0UL70CZ	Occlusion of bilateral fallopian tube with extraluminal device, open approach
0UL70DZ	Occlusion of bilateral fallopian tube with intraluminal device, open approach
0UL70ZZ	Occlusion of bilateral fallopian tube, open approach
0UL73CZ	Occlusion of bilateral fallopian tube with extraluminal device, percutaneous approach
0UL73DZ	Occlusion of bilateral fallopian tube with intraluminal device, percutaneous approach
0UL73ZZ	Occlusion of bilateral fallopian tube, percutaneous approach
0UL74CZ	Occlusion of bilateral fallopian tube with extraluminal device, percutaneous endoscopic approach
0UL74DZ	Occlusion of bilateral fallopian tube, percutaneous endoscopic approach
0UL74ZZ	Occlusion of bilateral fallopian tube with intraluminal device, via natural or artificial opening
0UL77DZ	Occlusion of bilateral fallopian tube with intraluminal device, via natural or artificial opening
0UL77ZZ	Occlusion of bilateral fallopian tube, via natural or artificial opening
0UL78DZ	Occlusion of bilateral fallopian tube with intraluminal device, via natural or artificial opening endoscopic
0UL78ZZ	Occlusion of bilateral fallopian tube, via natural or artificial opening endoscopic
0UT70ZZ	Resection of bilateral fallopian tubes, open approach
0UT74ZZ	Resection of bilateral fallopian tubes, perc endo approach
0UT77ZZ	Resection of bilateral fallopian tubes, via opening
0UT78ZZ	Resection of bilateral fallopian tubes, endo
0UT7FZZ	Resection of bi fallopian tube, via opening w perc endo
0V5H0ZZ	Destruction of bilateral spermatic cords, open approach
0V5H3ZZ	Destruction of bilateral spermatic cords, percutaneous approach
0V5H4ZZ	Destruction of bilateral spermatic cords, percutaneous endoscopic approach
0V5H8ZZ	Destruction of bilateral spermatic cords, via natural or artificial opening, endoscopic
0V5Q0ZZ	Destruction of bilateral vas deferens, open approach
0V5Q3ZZ	Destruction of bilateral vas deferens, percutaneous approach
0V5Q4ZZ	Destruction of bilateral vas deferens, percutaneous endoscopic approach

**Table 2 – ICD-10 Sterilization Procedure Codes That Suspend for Analyst Review of Consent Form****Reviewed/Updated: October 1, 2023**

<b>Procedure Code</b>	<b>Description</b>
0V5Q8ZZ	Destruction of bilateral vas deferens, via natural or artificial opening endoscopic
0VBH0ZZ	Excision of bilateral spermatic cords, open approach
0VBH3ZZ	Excision of bilateral spermatic cords, percutaneous approach
0VBH4ZZ	Excision of bilateral spermatic cords, percutaneous endoscopic approach
0VBH8ZZ	Excision of bilateral spermatic cords, via natural or artificial opening, endoscopic
0VBQ0ZZ	Excision of bilateral vas deferens, open approach
0VBQ3ZZ	Excision of bilateral vas deferens, percutaneous approach
0VBQ4ZZ	Excision of bilateral vas deferens, percutaneous endoscopic approach
0VBQ8ZZ	Excision of bilateral vas deferens, via natural or artificial opening, endoscopic
0VLH0CZ	Occlusion of bilateral spermatic cords with extraluminal device, open approach
0VLH0DZ	Occlusion of bilateral spermatic cords with intraluminal device, open approach
0VLH0ZZ	Occlusion of bilateral spermatic cords, open approach
0VLH3CZ	Occlusion of bilateral spermatic cords with extraluminal device, percutaneous approach
0VLH3DZ	Occlusion of bilateral spermatic cords with intraluminal device, percutaneous approach
0VLH3ZZ	Occlusion of bilateral spermatic cords, percutaneous approach
0VLH4CZ	Occlusion of bilateral spermatic cords with extraluminal device, percutaneous endoscopic approach
0VLH4DZ	Occlusion of bilateral spermatic cords with intraluminal device, percutaneous endoscopic approach
0VLH4ZZ	Occlusion of bilateral spermatic cords, percutaneous endoscopic approach
0VLH8CZ	Occlusion of bilateral spermatic cords with extraluminal device, via natural or artificial opening, endoscopic
0VLH8DZ	Occlusion of bilateral spermatic cords with intraluminal device, via natural or artificial opening, endoscopic
0VLH8ZZ	Occlusion of bilateral spermatic cords, via natural or artificial opening endoscopic
0VLQ0CZ	Occlusion of bilateral vas deferens with extraluminal device, open approach
0VLQ0DZ	Occlusion of bilateral vas deferens with intraluminal device, open approach
0VLQ0ZZ	Occlusion of bilateral vas deferens, open approach
0VLQ3CZ	Occlusion of bilateral vas deferens with extraluminal device, percutaneous approach
0VLQ3DZ	Occlusion of bilateral vas deferens with intraluminal device, percutaneous approach
0VLQ3ZZ	Occlusion of bilateral vas deferens, percutaneous approach
0VLQ4CZ	Occlusion of bilateral vas deferens with extraluminal device, percutaneous endoscopic approach
0VLQ4DZ	Occlusion of bilateral vas deferens with intraluminal device, percutaneous endoscopic approach
0VLQ4ZZ	Occlusion of bilateral vas deferens, percutaneous endoscopic approach
0VLQ8CZ	Occlusion of bilateral vas deferens with extraluminal device, via natural or artificial opening endoscopic

